

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NUMBER FILING DATE FIRST NAMED APPLICANT ATTORNEY DOCKET NO.

EXAMINER

ART UNIT

PAPER NUMBER

DATE MAILED:

This is a communication from the examiner in charge of this application. COMMISSIONER OF PATENTS AND TRADEMARKS

NOTICE OF ALLOWABILITY
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to The amendment Filed 23 March 7004 The allowed claim(s) is/are9 - 18
The drawings filed on are acceptable as formal drawings.
Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
☐ All ☐ Some* ☐ None of the:
Certified copies of the priority documents have been received.
Certified copies of the priority documents have been received in Application No.
Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
*Certified copies not received:
Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE FOR SUBMITTING NEW FORMAL DRAWINGS, OR A SUBSTITUTE OATH OR DECLARATION. This three-month period for complying with the REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL is extendable under 37 CFR 1.136(a).
Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.
Applicant MUST submit NEW FORMAL DRAWINGS
because the originally filed drawings were declared by applicant to be informal.
Including changes required by the Notice of Draftperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No. 2.
including changes required by the proposed drawing correction filed on, which has been approved by the examiner.
including changes required by the attached Examiner's Amendment/Comment or in the Office action of Paper No
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings.
☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.
Any reply to this notice should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.
Attachment(s)
☐ Notice of References Cited, PTO-892
Information Disclosure Statement(s), PTO-1449, Paper No(s).
Notice of Draftsperson's Patent Drawing Review, PTO-948
Notice of Informal Patent Application, PTO-152
Interview Summary, PTO-413
Examiner's Amendment/Comment
Examiner's Comment Regarding Requirement for the Deposit of Biological Material
Examiner's Statement of Reasons for Allowance

PTOL-37 (Rev. 11/00)

Art Unit: 2817

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification:

In the replacement paragraph starting at page 24, line 25, second line therein, a --,-- has been inserted after "42a" for grammatical correctness; sixth line therein, "50b" has been correctly changed to --51b--; 12th line therein, "25b" has been correctly changed to --24b---

Comments:

Note that the above "informal examiner's amendments" have been made without applicant's approval since they merely correct grammatical informalities and correct disagreement of reference labels between the specification and the drawings. Accordingly, these "informal examiner's amendments" are sanctioned under MPEP 1302.04.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benny Lee whose telephone number is 571 272 1764.

BENNY T. LEE

PRIMARY EXAMINER

ART UNIT 2817

B. Lee